



I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to:

Commissioner for Patents

United States Patent & Trademark Office Mail Stop: Certificate of Correction

P.O. Box 1450

Alexandria, VA 22313-1450, on 4/18/06

Certificate
APR 2 6 2006
of Correction

DATE

april 18,2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Examiner: Hung Charlie Le

Group Art Unit: 3725

In re application of

James A. McClung : METHOD AND APPARATUS

: FOR ALIGNING COMPONENTS OF

Serial No.: 10/686,352 : A PRESS

Filed: October 14, 2003

Patent No.: 7,007,535

Issued: March 7, 2006

: ATTORNEY DOCKET: 291448-00155

<u>LETTER</u>

600 Grant St., 44th Floor Pittsburgh, PA 15219 April 18, 2006

Commissioner for Patents
United States Patent & Trademark Office
Certificate of Correction Branch
Mail Stop: Certificate of Correction
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In comparing the above-identified original patent document with the original papers filed in the Patent and Trademark Office, we have noted one (1) error which is the printer's error.

It is respectfully requested that a Certificate of Correction be issued to correct this printing error in the above-identified patent.

(412) 566-6085

Respectfully submitted,

Eric A. Lerner

Registration No. 46,054 Attorney for Applicant

-2-

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. :

7,007,535

DATED

March 7, 2006

INVENTOR(S):

James A. McClung

It is certified that errors appear in the above-identified patent and that said Letters Patent should be corrected as shown below:

Col. 5, line 9, "0.00 1" should read --0.001--.

1 of 1

MAILING ADDRESS OF SENDER:

Sally Novosel, Docket Administrator ECKERT SEAMANS CHERIN & MELLOTT, LLC 600 Grant Street, 44th Floor Pittsburgh, PA 15219 PATENT NO. 7,007,535 No. of add'l copies 2 @ 50¢ per page

 \Rightarrow